


Attachment "5"

Tenant's Prototypical Drawings

[See Attached]



Attachment "6"

Tenant's Prototypical Plans

[See Attached]




EXHIBIT "D"

REMOVABLE TRADE FIXTURES

STORE FIXTURES
ALL STORAGE RACKING
ALL SECURITY SYSTEM ITEMS
TELEPHONES AND PAGING SYSTEMS
COMPUTER SYSTEM
OFFICE FURNITURE AND TRASH RECEPTACLES
BATTERY CHARGER
TRASH COMPACTOR
SIGNS (INTERIOR/EXTERIOR)
ANTENNA SYSTEM
ELECTRONIC SWITCHING
AIR COMPRESSOR (ROADSHOP)
SAFE
CONVEYOR
MEDECO CYLINDER LOCKS (5)
REFRIGERATOR AND MICROWAVE USED BY EMPLOYEES
TACK BOARDS
WATER COOLER
FIRE EXTINGUISHERS
AUDIO ROOM FIXTURES AND SWITCHGEAR
PICTURES
WAREHOUSE AND MATERIAL HANDLING EQUIPMENT (MOVABLE
LADDERS, DOLLIES, ETC.)
TRACK LIGHTS (CANS ONLY, NOT TRACKS)

EXHIBIT "E"

SIGN PLANS AND CRITERIA

(attached)

SQUARE FOOTAGE

256 Boxed SF

200 Circular SF

ELECTRICAL

Total Amps: 12.95

Circuits: (1) 20 amp

Volts: 120

CHANNEL LETTERS ON BACKGROUND

Background: .090 aluminum painted to
match PMS485 red.

Ring outer perimeter return: 8.50 x .063
aluminum pre-finished to match Matthews
#41-313.

Ring channel inside: paint white.
Letter returns: 8.50 x .063 pre-finished
414-313 Bronze, Inside white.

Trademark: paint background to match PMS
485 red with 3M 3630-I0 white vinyl 1st
surface.


Letter face: .150 7328 white polycarbonate.

Trimcap: 1" white Jewelite.

Neon: 15mm 6500 white.

16'-0"
diameter
channel
letter logo

Table of Contents



The parties stipulate that the gold background area behind the sign depicted in this Exhibit "E" will not exceed 20' x 20'.

EXHIBIT E

